



B 150 R Bp

1 Configurable device

- Equipment details can be freely selected.
- Perfect matching of the machine to the cleaning requirements.

2 KIK system

- Greater protection from incorrect operation.
- Lower service costs.


3 Auto-Fill (optional)

- Automatic fresh water tank filling.
- Connect the fresh water hose and the filling process stops automatically when the tank is full.

4 Four batteries to choose from

TECHNICAL DATA AND EQUIPMENT





B 150 R Bp

Technical data		
Order no.		2.246-001.0
EAN code		4039784828681
Brush working width	mm	750
Working width, vacuuming	mm	960
Fresh/dirty water tank	1	150 / 150
Theoretical area performance	m²/h	5400
Battery voltage	V	36
Rated input power	W	2800
Weight	kg	435
Dimensions (L × W × H)	mm	1660 × 1400

Equipment Traction drive	
Traction drive	
	_
Automatic water stop	•
Dose	-
2-tank system	

■ Included in delivery.











		Order no.	Hardness / Brush type	Length	Colour	Quanti- ty	Price	Description	
Roller brushes									
Roller brush	1	6.906-985.0	soft	700 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits on R 75.	
	2	4.035-190.0	medium	700 mm	red	1 piece(s)		Roller brush, medium-hard, red. Length: 638 mm.With wear- resistant star-wheel mechanism. For normal use. Bristles: Polypropylene, 0.5 mm thick, 20 mm long.	
	3	6.906-986.0	high / low	700 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 75.	
	4	6.906-987.0	hard	700 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 75.	
	5	6.906-988.0	very hard	700 mm	black	1 piece(s)		Very hard, for extremly sticky dirt and for for deep cleaning for unsensitive surfaces only. Fits to brush head R 75.	· 🗆
	6	6.906-989.0	soft	800 mm	White	1 piece(s)		Soft, for cleaning sensitive surfaces and for polishing. Fits R 90.	
	7	6.906-991.0	hard	800 mm	green	1 piece(s)		Hard, for heavy soilings und for deep cleaning; for unsensitive floors only. Fits to brush head R 90.	
	8	6.906-992.0	very hard	800 mm	black	1 piece(s)		Very hard, for extremly sticky dirt and for deep cleaning; for unsensitive surfaces only. Fits to brush head R 90.	
	9	6.906-990.0	high / low	800 mm	orange	1 piece(s)		Medium hard, for cleaning strong structured floors and deeper joints. Fits R 90.	

[☐] Available accessories.













		Order no.	Hardness / Brush type	Length	Diame- ter	Colour	Price	Description	
Pad roller shaft			1	_					
Pad roller shaft	1	4.762-434.0		700 mm				fits R 75	
	2	4.762-435.0		800 mm					
Roller pads									
Roller pad	3	6.369-454.0	soft		105 mm	yellow		Roller pads (x20) soft, yellow. For polishing and cleaning non-structured floors. Suitable for use with appropriate pad roller shaft.	
	4	6.369-456.0	medium		105 mm	red		Roller pads (x20), medium, red. For cleaning non-structured floors. Suitable for use with appropriate pad roller shaft. About 7 to 7.5 pads are required per 10 cm shaft length.	
	5	6.369-455.0	hard		105 mm	green		Roller pads (x20), hard, green. For removing stubborn dirt and basic cleaning of non-structured floors. Suitable for use with appropriate pad roller shaft.	
Microfibre shaft									
Microfibre roller	6	4.114-007.0	Microfibre	700 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-434.0. Fits on R 75.	
	7	4.114-008.0	Microfibre	800 mm	105 mm	light green		World innovation: application of microfibre rollers combines the excellent cleaning properties of microfibres with the benefits of the roller brush technology. Combined with rolle pad shaft 4.762-435.0. Fits on R 90.	

[☐] Available accessories.

















		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Disc brushes			•	•					
Disc brush	1	4.905-019.0	very soft	385 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing. Fits D 75.	
	2	4.905-020.0	soft	385 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing. Fits D 75.	
	3	4.905-018.0	medium	385 mm	red	1 piece(s)		Medium, for all floors. Standard with D 75.	
	4	4.905-021.0	hard	385 mm	black	1 piece(s)		Hard, for heavy soilings und for deep cleaning. For unsensitive floors only. Fits D 75.	
	5	4.905-005.0	very soft	450 mm	White	1 piece(s)		Very soft, for cleaning sensitive surfaces and for polishing.	
	6	4.905-004.0	soft	450 mm	natural	1 piece(s)		Made of natural fibres, for spray cleaning and for polishing.	
	7	4.905-003.0	medium	450 mm	red	1 piece(s)		Disc brush, medium-hard, red, 450 mm diameter. For norma use. Also suitable for sensitive floors. Bristles: Polypropyle- ne, 0.6 mm thick, 40 mm long.	
	8	4.905-006.0	hard	450 mm	black	1 piece(s)		Disc brush, hard, black, 450 mm diameter. For stubborn dirt and basic cleaning. Only for insenstive floors. Bristles: Grit Tynex 180, 1mm thick, 41 mm long.	

[☐] Available accessories.























			T			1	1	T	_
		Order no.	Hardness / Brush type	Diameter	Colour	Quanti- ty	Price	Description	
Microfibre pad				'					
Microfibre pad	1	6.371-078.0	Microfibre	381 mm	White	5 piece(s)		5 microfibre pads, white With centre hole, 381 mm diameter. Excellent cleaning power. Also effectively cleans fine stoneware tiles. Suitable for, e.g. D 75, BD 75/140 R and BD 40/25 C.	, -
	2	6.369-960.0	Microfibre	457 mm	White	5 piece(s)		Excellent cleaning power. Cleans even pores of fine stonwa re tiles.	- 0
Pads									
Pad	3	6.369-791.0	medium-soft	381 mm	red	5 piece(s)		5 pads, medium-soft, red, 381 mm diameter. For cleaning a floors. Suitable for, e.g. D 75.	" _
	4	6.369-790.0	medium-hard	381 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75	
	5	6.369-789.0	hard	381 mm	black	5 piece(s)		5 pads, hard, black, 381 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 75.	
	6	6.369-024.0	medium-soft	457 mm	red	5 piece(s)		5 pads, medium-soft, red, 457 mm diameter. For cleaning a floors. Suitable for, e.g. D 90.	
	7	6.369-023.0	medium-hard	457 mm	green	5 piece(s)		5 pads, medium-hard, green, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90).
	8	6.369-022.0	hard	457 mm	black	5 piece(s)		5 pads, hard, black, 457 mm diameter. For removing stubborn dirt and basic cleaning. Suitable for, e.g. D 90.	
Pad drive board									
Pad drive board	9	4.762-447.0		375 mm		1 piece(s)		Pad driver plate for cleaning with pads, 335 mm diameter. With quick-change coupling, hook plate and centre lock. Suitable for, e.g. D 75.	
	10	4.762-493.0		445 mm		1 piece(s)		Fits on D 90. For cleaning with pads. With quick-changing coupling and center lock.	
Diamond pad									
Diamond pad	11	6.371-252.0	coarse	385 mm	White	5 piece(s)			
	12	6.371-258.0	coarse	457 mm	White	5 piece(s)			
	13	6.371-253.0	medium	385 mm	yellow	5 piece(s)			
	14	6.371-259.0	medium	457 mm	yellow	5 piece(s)			
	15	6.371-236.0	fine	385 mm	green	5 piece(s)			
	16	6.371-239.0	fine	457 mm	green	5 piece(s)			

[☐] Available accessories.





















		Order no.	Length	Colour	Quanti- ty	Price	Description						
Squeegee, complete		I.	<u> </u>	_									
Squeegee	1	4.777-402.0	940 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.						
	2	4.777-412.0	940 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	Г					
	3	4.777-403.0	1060 mm	transparent	1 piece(s)		Straight, with support rollers. Suction lips of oil-resistant, transparent polyurethane.	Г					
	4	4.777-413.0	1060 mm	transparent	1 piece(s)		Curved, with support rollers. Suction lips of oil-resistant, transparent polyurethane.						
/-squeegee	5	4.777-078.0	1200 mm	transparent	1 piece(s)		V-shaped squeegee with length of 1,200 mm and adjustable support rollers. Oil-resistant, fluted suction lips made from robust polyurethane for all conventional floors. Special sliding properties on crevices.	5					
	6	4.777-081.0	1100 mm	transparent	1 piece(s)		With adjustable support rollers and spirit level for precise adjustment: V-shaped squeegee, 1,100 mm long. Suction lip made from robust, oil-resistant and transparent polyurethane.						
Squeegees for suction bars													
Suction lips	7	6.273-208.0	960 mm	transparent	2 -part		Standard, grooved, oil-resistant.						
	8	6.273-205.0	960 mm	transparent	2 -part		Slotted, oil-resistant, for sensitive floors.						
	9	6.273-214.0	960 mm	blue	2 -part		Grooved, natural rubber.						
	10	6.273-206.0	1080 mm	transparent	2 -part		Slotted, oil-resistant.						
	11	6.273-209.0	1080 mm	transparent	2 -part		Standard, grooved, oil-resistant.						
	12	6.273-215.0	1080 mm	blue	2 -part		Grooved, natural rubber.						
Suction lips for V-squeegee	13	6.273-016.0	1334 mm	transparent	2 -part		Fluted suction lip set for all conventional floors. Made from oil-resistant, transparent polyurethane with a long lifetime and specially developed for V-shaped, 1,200 mm-long squeegees.						
	14	6.273-025.0	1222 mm	transparent	2 -part		Suction lip set made from robust, transparent polyurethane with fluted structure for V-shaped squeegees with length of 1,100 mm. Impressive sliding properties on all floors.						

[☐] Available accessories.









			T	T	1		T	_
					Quanti-			
		Order no.	Length	Colour	ty	Price	Description	
Miscellaneous								
KIK key set, white	1	4.035-064.0		White	5 piece(s)			
ABS brush head impact protection	2	2.034-000.0						
Cover complete	3	4.035-512.0			1 piece(s)			
Cover tank flushing system complete	4	4.035-513.0			1 piece(s)			
Add-on kit eco!zero	5	5.388-133.0			1 piece(s)			
Home Base accessories								
Home Base Mop Holder Kit	6	4.035-514.0			1 piece(s)			
Manual rinsing system	7	4.035-515.0			1 piece(s)			
Universal hook kit	8	4.070-075.0			1 piece(s)		Hook and adaptor kit for attachment to the Home Base rail scrubber drier by Kärcher. Ideal for space-saving storage of hoses (for example, spray suction attachment kit) on the machine.	

[☐] Available accessories.











		Order no.			Price	Description	
Brush heads							
Brush head R 75	1	2.763-006.0				Brush-head with 2 roller brushes and a working width of 75 cm. Brush-change without tools. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush head D 75	2	2.763-005.0				Brush-head with 2 disc brushes, brush-quick-change-system and a working width of 75 cm. The side splash guards are adjustable in the height. So the water will be kept under the brush-head. The cleaning solution will be run optimally to the squeegee, also in driving turns. Brush head packed separately.	
Brush head R 90 S	3	2.763-007.0					
Brush head D 90 S	4	2.763-008.0				Brush head with 2 disc brushes, brush quick changeover system, 90 cm working width and height adjustable side guards.	

[☐] Available accessories.





		Order no.	Length	Diameter	Quanti- ty	Price	Description	
Spray extraction mounting kit						l		
Spray suction attachment kit	1	2.642-058.0			1 piece(s)		Simplifies cleaning areas inaccessible for machines.	
Other attachment kits								
Flashing beacon	2	4.035-516.0			1 piece(s)			
Auto-Fill	3	4.035-345.0			1 piece(s)			

☐ Available accessories.







		Order no.	Quantity	Battery volta-	Battery capaci- ty	Battery type	Price	Description	
Batteries									
Battery kit	1	4.035-988.0	1 piece(s)	36 V	180 Ah	Low- mainte- nance			
	2	4.654-307.0	6 -part	36 V	180 Ah	Mainte- nance- free			
	3	4.654-306.0	6 -part	36 V	240 Ah	Mainte- nance- free			
	4	4.035-987.0	1 piece(s)	36 V	240 Ah	Low- mainte- nance			
Accessories for batteries									
Box with wall holder	5	2.641-243.0	1 piece(s)			Low- mainte- nance		Supply system for charging wet batteries, the batteries can be filled easily, time saving. Mount the box 4 meters high.	
Вох	6	2.641-244.0	1 piece(s)			Low- mainte- nance			

[☐] Available accessories.





						ļ			
		Order no.	Quantity	ID	Width	Length	Price	Description	
Other									
Cleaning agent container, complete	1	4.070-006.0	1 piece(s)					Kit consisting of cleaning agent container and Home Base adapter. For connecting Home Base Rail.	

[☐] Available accessories.





		Order no.	Installation ex works	Length / width	Diame- ter	Price	Description	
Standard side brushes								
Standard side brushes	1	6.951-073.0			390 mm		Standard side brush with moisture-proof universal bristles and long service life. Suitable for all surfaces.	

[☐] Available accessories.